

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL


www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Alan O'Bright



W. A. CASE & SON MFG. CO.

General Offices

BUFFALO 3, N. Y.

Established 1853

POTTERY

Robinson, Ill.

RANGE BOILER PLANT

Norristown, Pa.



MANUFACTURERS OF

VITREOUS CHINA PLUMBING FIXTURES



GALVANIZED RANGE BOILERS

COPPER RANGE BOILERS

PNEUMATIC TANKS

STORAGE TANKS

SPECIAL TANKS

SPECIAL METAL FABRICATION

Catalog 4
PRINTED IN U. S. A.
BUFFALO, N. Y., JANUARY, 1949
Copyright by W. A. Case & Son Mfg. Co., 1949

VITREOUS CHINA LAVATORIES

Case lavatories are made of the highest grade vitreous china, the finest material for high quality plumbing fixtures. It has no equal for permanence, cleanliness, sanitation and resistance to acids and discoloration. The ware, fired under extremely high temperatures, is thoroughly vitreous and the high luster glaze is completely fused with the body of the fixture. For lasting satisfaction and the added touch of refinement use Case vitreous china lavatories.

Built into Case lavatories are attractive individual designs, every desirable feature from a utility viewpoint, and accessories of highest quality. The mechanics of the assembly of these lavatories affords ease of installation. Each slab lavatory in the No. 400, 500, 600 and 700 series can be supported on china pedestal, single china leg, chrome plated metal legs or on special concealed hanger with chrome plated brackets.


Case lavatories are furnished in a wide variety of attractive colors for any decorative scheme.

VITREOUS CHINA LAVATORIES

Case lavatories are made of the highest grade vitreous china, the finest material for high quality plumbing fixtures. It has no equal for permanence, cleanliness, sanitation and resistance to acids and discoloration. The ware, fired under extremely high temperatures, is thoroughly vitreous and the high luster glaze is completely fused with the body of the fixture. For lasting satisfaction and the added touch of refinement use Case vitreous china lavatories.

Built into Case lavatories are attractive individual designs, every desirable feature from a utility viewpoint, and accessories of highest quality. The mechanics of the assembly of these lavatories affords ease of installation. Each slab lavatory in the No. 400, 500, 600 and 700 series can be supported on china pedestal, single china leg, chrome plated metal legs or on special concealed hanger with chrome plated brackets.

Case lavatories are furnished in a wide variety of attractive colors for any decorative scheme.



Case

No. 400

AQUA-CHROME®

**Vitreous China
Lavatory**

Square Basin — Anti-Splash Rim

Lavatory Size

20" x 18" (Square corners)
24" x 20" (Angle corners)
27" x 22" (Angle corners)

Basin Size


15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "

Note: Furnished with Soap Depression in sizes 24" x 20" and 27" x 22".

Equipment

No. 150 Chrome plated Art Design Legs.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 410

AQUA-CHROME®

Vitreous China
Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size	Basin Size
20" x 18" (Square corners)	15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
24" x 20" (Angle corners)	16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
27" x 22" (Angle corners)	18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "



Note: Furnished with Soap Depression in sizes 24" x 20" and 27" x 22".

Equipment

No. 150 Chrome plated Art Design Legs.

No. 160 Chrome plated Towel Bars.

No. 180 Chrome plated Knee Brackets with locking device.



No. 420

AQUA-CHROME®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

20" x 18" (Square corners)

24" x 20" (Angle corners)

27" x 22" (Angle corners)

Basin Size

15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "

16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "

18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "


Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

No. 150 Chrome plated Art Design Legs.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 430

AQUA-CHROME®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size


Basin Size

20" x 18" (Square corners)	15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
24" x 20" (Angle corners)	16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
27" x 22" (Angle corners)	18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "

Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment

- No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.
- No. 150 Chrome plated Art Design Legs.
- No. 160 Chrome plated Towel Bars.
- No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 500

WESTBROOK®

Vitreous China
Lavatory with
Pedestal

Square Basin — Anti-Splash Rim

Lavatory Size

24" x 20"

27" x 22"

Basin Size

16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "

18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "



Note: Furnished with Soap Depression.

Equipment

No. 180 Chrome plated Knee Brackets with locking device.

No. 510 WESTBROOK Lavatory

Same specification as noted above with addition of No. 160 Chrome plated Towel Bars.



No. 520

WESTBROOK®

Vitreous China
Lavatory with
Pedestal

Square Basin — Anti-Splash Rim

Lavatory Size

24" x 20"

27" x 22"

Basin Size

16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "



18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "

Note: Furnished with Soap Depression.

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

No. 80 Chrome plated Knee Brackets with locking device.



No. 530

WESTBROOK®

Vitreous China
Lavatory with
Pedestal

Square Basin — Anti-Splash Rim

Lavatory Size

24" x 20"

27" x 22"

Basin Size

16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "

18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "



Note: Furnished with Soap Depression.

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

No. 160 Chrome plated Towel Bars.

No. 180 Chrome plated Knee Brackets with locking device.



No. 600

WYNGATE®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

20" x 18" (Square corners)

24" x 20" (Angle corners)

27" x 22" (Angle corners)

Basin Size

15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "

16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "

18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "



Note: Furnished with Soap Depression in sizes 24" x 20" and 27" x 22".

Equipment

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.

No. 610 WYNGATE Lavatory

Same specification as noted above with addition of No. 160 Chrome plated Towel Bars.



No. 620

WYNGATE®

Vitreous China
Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size



Basin Size

20" x 18" (Square corners)	15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
24" x 20" (Angle corners)	16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
27" x 22" (Angle corners)	18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "

Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment

- No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.
- No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



No. 630

WYNGATE®

Vitreous China
Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

Basin Size

20" x 18" (Square corners)	15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
24" x 20" (Angle corners)	16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
27" x 22" (Angle corners)	18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "


Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

No. 160 Chrome plated Towel Bars.

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



Case

No. 700

WINDSOR®

Vitreous China

Lavatory with Leg

Square Basin — Anti-Splash Rim

Lavatory Size	Basin Size
20" x 18" (Square corners)	15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "
24" x 20" (Angle corners)	16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "
27" x 22" (Angle corners)	18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "


Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment

No. 180 Chrome plated Knee Brackets with locking device.

No. 710 WINDSOR Lavatory

Same specification as noted above with addition of No 160 Chrome plated Towel Bars.



Case

No. 720

WINDSOR®

Vitreous China

Lavatory with Leg

Square Basin — Anti-Splash Rim
Lavatory Size **Basin Size**

20" x 18" (Square corners) 15 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "

24" x 20" (Angle corners) 16 $\frac{3}{4}$ " x 12 $\frac{1}{4}$ "

27" x 22" (Angle corners) 18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ "

Note: Furnished with Soap Depression in 24" x 20" and 27" x 22" sizes.

Equipment


No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

No. 180 Chrome plated Knee Brackets with locking device.

No. 730 WINDSOR Lavatory

Same specification as noted above with addition of No. 160 Chrome plated Towel Bars.

W. A. CASE & SON MFG. CO.



Case

No. 750

WESTON®

Vitreous China
Lavatory with
Leg and Back

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 18"


Basin Size

15" x 10½"

Equipment

Lavatory and Hanger furnished only, less fittings.

Note: Furnished with No. 160 Chrome plated Towel Bars when specified.



Case

No. 755

WESTON®

Vitreous China
Lavatory with
Leg and Back

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size
20" x 18"

Basin Size
15" x 10½"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

Note: Furnished with No. 160 Chrome plated Towel Bars when specified.

No. 756 WESTON Lavatory

Same specification as noted above except equipped with No. 3401 Chrome plated Supply Fitting with bead chain and rubber stopper, raised spout.



U. S. Pat. D-143104

THE Case "WINDELL"® Vitreous

China Lavatory

No. 785

THE (Case) "WINDELL"® Vitreous China Lavatory

FINEST vitreous china in white and a wide selection of attractive colors.


The design is attractive and conforms to the trends, not only of today but also tomorrow. Utility has not been sacrificed as is instanced by the roomy, flat and dry shelf on the ledge back. A practical soap receptacle is built in the lavatory slab and designed to drain into the basin.

Chrome plated special supply and pop-up waste fitting is located on the front of the ledge back and is easily accessible and so placed that a full 1" air gap is maintained between the spout and the flood point of the basin.

The mechanics of assembling and installing this "Windell" incorporate our No. 180 chrome plated knee bracket assembly with the tapped spuds placed in the lavatory at our plant.—A patented assembly which is free from all the difficulties of the conventional type and which is also a real time-saver. Chrome plated Case No. 150 Brass Legs, hexagonal in design and of the stepped down type—ample adjustment for height is permitted.

The overflow is located in the front of the basin out of sight, and the front of the basin has an anti-splash rim.

The size is 24" x 20" with a generous sized basin 17" x 11 $\frac{3}{4}$ ".



No. 780

WINDELL®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size	Shelf Space	Basin Size
22" x 18"	22" x 5"	16" x 11"
24" x 20"	24" x 6 $\frac{1}{4}$ "	17" x 11 $\frac{3}{4}$ "

Soap Depression — Ledge Back

Equipment

No. 4093 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 785

WINDELL®

Vitreous China
Lavatory


Square Basin — Anti-Splash Rim

Lavatory Size	Shelf Space	Basin Size
22" x 18"	22" x 5"	16" x 11"
24" x 20"	24" x 6 $\frac{1}{4}$ "	17" x 11 $\frac{3}{4}$ "

Soap Depression — Ledge Back

Equipment

- No. 4093 Chrome plated Supply and Pop-up Waste Fitting.
- No. 150 Chrome plated Art Design Legs.
- No. 165 Chrome plated Towel Bars.
- No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 790

WINDELL®

Vitreous China
Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

22" x 18"

Basin Size

16" x 11"


Soap Depression — Ledge Back

Shelf Space 22" x 5"

Equipment

No. 4093 Chrome plated Supply and Pop-up Waste Fitting.

No. 196 Steel Wall Hanger.



Case

No. 791

WINDELL®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

22" x 18"

Basin Size

16" x 11"

Soap Depression — Ledge Back


Shelf Space 22" x 5"

Equipment

No. 4093 Chrome plated Supply and Pop-up Waste Fitting.

No. 165 Chrome plated Towel Bars.

No. 196 Steel Wall Hanger.



Case

No. 792

WINDELL®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

Basin Size

22" x 18"

16" x 11"

Soap Depression — Ledge Back

Shelf Space 22" x 5"

Equipment

No. 4093 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 196 Steel Wall Hanger.



Case

No. 793

WINDELL®

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

22" x 18"

Basin Size

16" x 11"

Soap Depression — Ledge Back

Shelf space 22" x 5"


Equipment

No. 4093 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 165 Chrome plated Towel Bars.

No. 196 Steel Wall Hanger.



Case

No. 800

WINSTON®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

27" x 22"

Basin Size

15½" x 9¾"

17½" x 11¾"


18½" x 13"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 805

WINSTON®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

27" x 22"

Basin Size

15½" x 9¾"

17½" x 11¾"

18½" x 13"


Equipment

No. 3400 Chrome plated Suppl. and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 160 Chrome plated Towel Bars.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 820

WARWICK®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

27" x 22"

Basin Size

15½" x 9¾"


17½" x 11¾"

18½" x 13"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting.

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



Case

No. 825

WARWICK®

**Vitreous China
Lavatory with
Integral Shelf**

**Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression**

Lavatory Size

22" x 18"

24" x 20"

27" x 22"

Basin Size

15½" x 9¾"

17½" x 11¾"


18½" x 13"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting.

No. 160 Chrome plated Towel Bars.

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



Case

No. 840

WINSTED®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size
22" x 18"


Basin Size
15½" x 9¾"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting.
Steel Wall Hanger.

No. 848 WINSTED Lavatory

Same specifications as noted above except equipped with No. 3401
Chrome plated Supply Fitting with bead chain and rubber stopper.



Case

No. 841

WINSTED®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

Basin Size


15½" x 9¾"

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting.

No. 160 Chrome plated Towel Bars.

Steel Wall Hanger.



Case

No. 850

WILLARD®

**Vitreous China
Lavatory with
Integral Shelf**

**Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression**

Lavatory Size

22" x 18"

24" x 20"

Basin Size

15½" x 9¾"



17½" x 11¾"

Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8" Centers.

No. 150 Chrome plated Art Design Legs.

No. 180 Chrome plated Knee Brackets with locking device



No. 855

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

Basin Size

15½" x 9¾"

17½" x 11¾"


Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8" Centers.

No. 150 Chrome plated Art Design Legs.

No. 160 Chrome plated Towel Bars.

No. 180 Chrome plated Knee Brackets with locking device.



Case

No. 860

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

Basin Size


15½" x 9¾"

17½" x 11¾"

Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8" Centers.

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



Case

No. 865

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

24" x 20"

Basin Size

15½" x 9¾"


17½" x 11¾"

Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8" Centers.

No. 160 Chrome plated Towel Bars.

No. 195 Adjustable concealed Hangers with Chrome plated brackets and locking device.



Case

No. 870

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"


Basin Size

15½" x 9¾"

Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8"
Centers.

Steel Wall Hanger.



Case

No. 871

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

Basin Size


15½" x 9¾"

Equipment

No. 3420 Chrome plated Supply and Pop-up Waste Fitting. 8"
Centers.

No. 160 Chrome plated Towel Bars.

Steel Wall Hanger.



Case

No. 875

WILLARD®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

22" x 18"

Basin Size

15½" x 9¾"


Equipment

No. 3408 Chrome plated Supply and Pop-up Waste Fitting. 4" Centers.

Steel Wall Hanger.

No. 876 WILLARD® Lavatory

Same specification as noted above with addition of No. 160 Chrome plated Towel Bars.



Case

No. 900

AVON®

Vitreous China
Lavatory with
Back

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size
20" x 18"


Back
6"

Basin Size
15" x 10½"

Note: Furnished with No. 160 Chrome plated Towel Bars when specified.

Equipment

Lavatory and hanger furnished only, less fittings.



Case

No. 912

AVON®

Vitreous China
Lavatory with
Back

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size	Back	Basin Size
20" x 18"	6"	15" x 10½"

Note: Furnished with No. 160 Chrome plated Towel Bars when specified.

Equipment

No. 3400 Chrome plated Supply and Pop-up Waste Fitting with raised spout.

Steel Wall Hanger.



Case

No. 915

AVON®

Vitreous China
Lavatory with
Back

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size
20" x 18"

Back
6"

Basin Size
15" x 10½"

Note: Furnished with No. 160 Chrome plated Towel Bars when specified.

Equipment

No. 3401 Chrome plated Supply Fitting with raised spout with bead chain and rubber stopper.

Steel Wall Hanger.



Case

No. 920

STEWART

Vitreous China

Lavatory with

Back

Oval Basin — Front Overflow — Soap Depression

Lavatory Size

18" x 15½"

Basin Size

14" x 9"

Equipment

No. 3400 Supply and Pop-up Waste Fitting.

Steel Wall Hanger.

No. 921 STEWART Lavatory

Same as No. 920, except equipped with No. 3401 Supply Fitting with Chain and Stopper



Case

No. 922

STEWART

Vitreous China
Lavatory with
Back

Oval Basin — Front Overflow — Soap Depression

Lavatory Size


18" x 15½"

Basin Size

14" x 9"

Equipment

Steel Wall Hanger.
(Fittings not furnished)



Case

No. 923

WINCHESTER®

Vitreous China

Lavatory with

Integral Shelf

Oval Basin — Front Overflow

Lavatory Size

19" x 17"

18" x 15½"

Basin Size

14¼" x 11"

14" x 9"


Equipment

No. 3400 Supply and Pop-up Waste Fitting.

No. 196 Steel Wall Hanger.

No. 924 WINCHESTER® Lavatory

Same as No. 923, except equipped with No. 3401 Supply Fitting with Chain and Stopper.



PATENT 115623

Case

No. 925

COSMETTE®

Vitreous China

Lavatory with

Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 14½"

24" x 17½"

Basin Size


13¾" x 8½"

16" x 10½"


Equipment

No. 3408 Chrome plated Supply and Pop-up Waste Fitting.

Steel Wall Hanger.



PATENT 115623



No. 930

COSMETTE®

Vitreous China

Lavatory with

Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 14½"

24" x 17½"

Basin Size

13¾" x 8½"


16" x 10½"

Equipment


No. 3408 Chrome plated Supply and Pop-up Waste Fitting.

No. 160 Chrome plated Towel Bars.

Steel Wall Hanger.



PATENT 115623



No. 935

COSMETTE®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 14½"

24" x 17½"

Basin Size


13¾" x 8½"

16" x 10½"


Equipment

No. 3409 Chrome plated Supply Fitting with bead chain and rubber stopper.

Steel Wall Hanger.



PATENT 115623



No. 940

COSMETTE®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 14½"

24" x 17½"

Basin Size

13¾" x 8½"

16" x 10½"

Equipment


No. 3408 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.


Steel Wall Hanger.

No. 945 COSMETTE Lavatory

Same specification as noted above except equipped with No. 3409 Chrome plated Supply Fitting with bead chain and rubber stopper.



PATENT 115623



No. 941

COSMETTE®

Vitreous China
Lavatory with
Integral Shelf

Square Basin — Front Overflow — Anti-Splash Rim
Soap Depression

Lavatory Size

20" x 14½"

24" x 17½"

Basin Size

13¾" x 8½"

16" x 10½"


Equipment

No. 3408 Chrome plated Supply and Pop-up Waste Fitting.

No. 150 Chrome plated Art Design Legs.

No. 160 Chrome plated Towel Bars.

Steel Wall Hanger.



No. 950-C
WHITNEY VITREOUS CHINA LAVATORY
in Cabinet

Equipment

No. 950 Whitney Vitreous China Lavatory with No. 3420 chrome plated Supply and Pop-up Waste Fitting, 8" centers, with Hudee Rim (See Page 46-A).

Wooden Cabinet with four drawers.

Optional

No. 954 Whitney Vitreous China Lavatory with No. 3428 chrome plated Supply and Pop-up Waste Fitting, 4" centers.

Cabinet measurements—Depth 22", Width 36", Height 31", Back 3".



Case

No. 950

WHITNEY

(tile-in)

Vitreous China

Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

22" x 18"

Basin Size


17" x 10 $\frac{3}{4}$ "

Dual Soap Depressions — Front Overflow

Equipment


No. 3420 Chrome plated Supply
and Pop-up Waste Fitting,
8" Centers.

When required, Hudee Rim with
lug assembly.



No. 954 WHITNEY Lavatory

Same specifications as noted above with No. 3428 Chrome plated
Supply and Pop-up Waste Fitting, 4" Centers.



Case

**No. 960
WELSFORD
(Tile-in)
Vitreous China
Lavatory**

Square Basin — Anti-Splash Rim

Lavatory Size

24" x 20"

Basin Size

18" x 11 $\frac{3}{4}$ "

Soap Depression — Front Overflow

Equipment

No. 3430 Chrome plated Supply and Pop-up Waste Fitting. 8" Centers.





No. 961

WELSFORD

Vitreous China

Lavatory

Square Basin

Lavatory Size

24" x 20"

Soap Depression

—Anti-Splash Rim

Basin Size

18" x 11 $\frac{3}{4}$ "

—Front Overflow



Equipment

No. 3430 Chrome plated Supply and Pop-up Waste Fitting 8" Centers.

No. 151 Chrome plated Art Design Legs.

No. 165 Chrome plated Towel Bars.

No. 180 Chrome plated Knee Brackets with locking device.




No. 960-C
WELSFORD VITREOUS CHINA LAVATORY
in Cabinet

Equipment

No. 960 Welsford Vitreous China Lavatory with No. 3430 chrome plated Supply and Pop-up Waste Fitting, 8" centers.

Wooden Cabinet as illustrated.

Cabinet measurements—Depth 20", Width 48", Height 31".



Case

No. 970
WESLEY
Vitreous China
Lavatory

Square Basin — Anti-Splash Rim

Lavatory Size

19" x 17"

Basin Size

13½" x 10¼"


Soap Depression — Ledge Back

Shelf Space 19" x 4¾"

Equipment

No. 9706 Chrome plated Supply and Pop-up Waste Fitting.

No. 196 Steel Wall Hanger.



OFFICE OF THE
SECRETARY OF AGRICULTURE
WASHINGTON, D. C.

UNITED STATES GOVERNMENT

PRINTED AT THE GOVERNMENT PRINTING OFFICE

1917

10-1075

FOR SALE BY THE GOVERNMENT PRINTING OFFICE

10-1075


LAVATORY
ACCESSORIES

**LAVATORY
ACCESSORIES**

LAVATORY
ACCESSORIES

LAVATORY
ACCESSORIES


LAVATORY FITTINGS



No. 3400

Chrome plated Supply and Pop-up Waste Fitting, 4" centers
Fitting for Nos. 400, 500, 600, 700, and 800—825 Lavatories.


No. 3401—With Bead Chain and Rubber Stopper.



No. 3408


Chrome plated Supply and Pop-up Waste Fitting (angle), 4" centers
Fitting for Nos. 925—941, 875 and 876 Lavatories.

No. 3409—With Bead Chain and Rubber Stopper.




No. 3420

Chrome plated Supply and Pop-up Waste Fitting (angle), 8" centers
Fitting for Nos. 850—871 Willard Lavatories.




LAVATORY ACCESSORIES



No. 150

Chrome plated Art design 3-step adjustable Lavatory Legs.



No. 160


Chrome plated hexagonal Towel Bars.

Furnished with Lavatories of following widths:


14½"
17½"
22"

No. 165


Furnished with Lavatories of 18" and 20" widths.




Specify size when ordering.



No. 1



No. 2



No. 3


Methods of Attaching Towel Bars

No. 1—Leg Lavatory

No. 2—Pedestal or wall hung Lavatory.

No. 3—Attachment to knee bracket.

LAVATORY ACCESSORIES



No. 175

Chrome plated Annealed Supplies with stops.

For use with Series Nos. 400, 500, 600, 700-730, 755, and 800-841.

No. 176

For use with Nos. 925-945, 875 and 876 Lavatories.

No. 177

For use with Nos. 765-773 Lavatories.


No. 178

For use with Nos. 850-871.



No. 185


Tee Head Bolt for pedestal and china leg lavatories.



PATENT
1970791


No. 180

Chrome plated Knee Brackets with special locking device.



PATENT
1970790


Brass adjusting screws in top of pedestal and china legs.



No. 195

Adjustable concealed Hangers with chrome plated brackets and locking device.

ZURN CHAIR CARRIERS FOR CASE WALL HUNG LAVATORIES




Zurn Engineered Chair Carrier No. Z-1231, illustrated, gives rigid support with all means of support entirely concealed.

Zurn Chair Carrier No. Z-1236, with exposed arms, provides a sturdy assembly for supporting wall hung lavatories on top of arms, as illustrated.


Each unit is packaged individually with all necessary parts and installation instructions for supporting lavatory on arms. Wall hung lavatories can be installed singly or in batteries, supported by Zurn carriers. This same carrier can be installed within the wall or behind the wall construction. Zurn wall type lavatory carriers, support the fixture fully, relieve the finished wall of all the load and are designed to support many times the normal weight of the fixture.



Z-1236





Detail "F" foot—Zurn special carrier foot designed for narrow or light wall and floor construction. This special foot can be used in conjunction with any chair type carrier for lavatories or urinals.



**SINKS AND
LAUNDRY TRAYS**

**SINKS AND
LAUNDRY TRAYS**

**SINKS AND
LAUNDRY TRAYS**




**ABERDEEN VITREOUS CHINA SINK
AND
ADAIR VITREOUS CHINA LAUNDRY TRAY
IN COMBINATION**

Equipment


- No. 2400 Aberdeen Vitreous China Flat Rim Sink.
 - No. 2425 Adair Vitreous China Flat Rim Laundry Tray.
- (See Pages 57 and 58)

Optional Equipment


- No. 201 Laundry Tray Plug (2½").
- No. 202 Crumb Cup Sink Strainer (3½").
- No. 3475 Deck Type Swing Spout Sink Fixture



20" x 18"



24" x 18"



30" x 18"



No. 2400 ABERDEEN
VITREOUS CHINA FLAT RIM SINK
with 3½" Center Outlet

Outside Dimensions

20" x 18" x 8"
24" x 18" x 8"
30" x 18" x 8½"

Inside Dimensions

15¾" x 14¾" x 7"
22" x 16" x 7"
27¾" x 19½" x 7½"



**No. 2410 ABERDEEN
TWO-COMPARTMENT
VITREOUS CHINA FLAT RIM SINK**
with 3½" Center Outlets

Outside Dimensions

32" x 18" x 8½"

Inside Dimensions

29¾" x 15¾" x 7½"

Optional Equipment

No. 202 Crumb Cup Sink Strainers (3½").



No. 3475 Deck Type Swing Spout Sink Fixture.

BUILT-IN SOAP DISH

is available on Nos. 2400
and 2410 Aberdeen Vitreous
China Sinks, when specified.



PATENT PENDING



No. 2425

ADAIR
VITREOUS CHINA FLAT RIM LAUNDRY TRAY
with 2½" Center Outlet

Outside Dimensions

20" x 18" x 13½"

Inside Dimensions

16¾" x 14¾" x 12½"

Optional Equipment

No. 201 Laundry Tray Plug (2½")

No. 201 Laundry Tray Plug, 2½",
with Stopper and Tailpiece



No. 202 Crumb Cup Sink Strainer, 3½",
with Removable Cup and Tailpiece



WATER CLOSETS

Modern Water Closets so constructed and designed to meet practically all requirements are illustrated and described on the following pages.

These fixtures are made of the finest vitreous china and can be furnished in a wide variety of attractive colors as well as in white.

Most careful attention has been given to the design and construction of the bowls. Efficient performance is assured. Tanks are attractively designed and all exposed metal is chrome plated.

All tank fittings are our own design and built to the needs of the particular water closet in which they are installed. All brass castings of red metal, accurately machined. Parts are interchangeable. The ball cock can be supplied with regulating device, permitting quiet control of tank fill under all pressures.

Valve seats in ball cocks are renewable. The flush valve is equipped with overflow tube and base of flush valve has large overflow area.

All levers are positive in action. Attractively designed metal lever handles are chrome plated.

The fittings and accessories of our water closets are particularly free from trouble.

Special attention is invited to the close-coupled water closets illustrated. These closets are real conservers of water, an important item where the water service is metered.

The tank is attached directly to the bowl by means of a simple but efficient patented connection. This type of water closet is entirely free standing and is not attached to the wall. This eliminates the necessity of defacing finished walls. The roughing-in of these shelf type water closets is only restricted to a minimum measurement of 12" from finished wall to center of bowl outlet.

Water closets which are furnished complete with seat can be had in a wide variety of seat styles, sheet covered both in white or color, and in hard rubber.

WATER CLOSETS

Modern Water Closets so constructed and designed to meet practically all requirements are illustrated and described on the following pages.

These fixtures are made of the finest vitreous china and can be furnished in a wide variety of attractive colors as well as in white.

Most careful attention has been given to the design and construction of the bowls. Efficient performance is assured. Tanks are attractively designed and all exposed metal is chrome plated.

All tank fittings are our own design and built to the needs of the particular water closet in which they are installed. All brass castings of red metal, accurately machined. Parts are interchangeable. The ball cock can be supplied with regulating device, permitting quiet control of tank fill under all pressures.

Valve seats in ball cocks are renewable. The flush valve is equipped with overflow tube and base of flush valve has large overflow area.


All levers are positive in action. Attractively designed metal lever handles are chrome plated.

The fittings and accessories of our water closets are particularly free from trouble.

Special attention is invited to the close-coupled water closets illustrated. These closets are real conservers of water, an important item where the water service is metered.

The tank is attached directly to the bowl by means of a simple but efficient patented connection. This type of water closet is entirely free standing and is not attached to the wall. This eliminates the necessity of defacing finished walls. The roughing-in of these shelf type water closets is only restricted to a minimum measurement of 12" from finished wall to center of bowl outlet.

Water closets which are furnished complete with seat can be had in a wide variety of seat styles, sheet covered both in white or color, and in hard rubber.



U. S. Pat. Nos. 2252078, 2290438
U. S. Pat. D-139563

106
90
THE Case One-Piece WATER CLOSET

No. 1000

NON-OVERFLOW — QUIET

THE Case One-Piece WATER CLOSET "AMERICA'S FINEST"

QUIET

NON-OVERFLOW

THE first and finest one-piece water closet in a new design, meeting the trends of today and tomorrow—Accessories, including tank mechanism, engineered to produce the safest water closet made—Absolute protection against back-syphonage.

Made of the finest vitreous china, the best material for sanitary purpose; in white and a wide selection of attractive colors.

Bowl height is now 14" to better meet hygenic requirements.

No elevated tank and not attached to the wall. It can be installed in corners, under stairs or windows.

The supply valve (ballcock) is not in contact with the tank water and is well above highest possible water level—The riser pipe of the ballcock is housed in a china channel entirely separated from the tank water.

A special stop is part of the ballcock assembly and is accessible by simply lifting the tank cover—A regulating device is incorporated in the ballcock. Under higher pressures this affords two means of controlling volume and reducing noise to a minimum. It also eliminates the need of installing a stop in the supply pipe outside of the tank. The ballcock and tank lever are designed to operate free from trouble. The ballcock seat is stainless steel and can be renewed, if ever found necessary, without the necessity of removing the ballcock.


Powerful and quiet centrifugal flushing action and strong cleansing rim flush.

Non-overflow.

Shelf type cover.

A special, highest quality, full 1½" seat supplied with each fixture and is designed to harmonize with the fixture. All exposed metal chromium plated.

Complete fixture packed in one crate; including seat, chrome plated supply pipe, closet screws and china bolt caps.



No. 1100

U. S. Pat. Nos. 2252078, 2290438
U. S. Pat. D-139563

THE ELONGATED CASE One-Piece WATER CLOSET


with 1½" sheet covered seat, supply pipe and special stop in tank.


No. 1100—equipped with 1½" sheet covered closed front elongated seat with cover.

No. 1110—equipped with 1½" sheet covered open front elongated seat with cover.

No. 1115—equipped with 1½" sheet covered open front elongated seat less cover.

Fittings same as No. 1000





Case

No. 1000

U. S. Pat. Nos. 2252078, 2290438
U. S. Pat. D-139563

THE Case One-Piece WATER CLOSET

with 11½" sheet covered seat, supply pipe and special stop in tank.


No. 1000—equipped with closed front seat and cover.

No. 1010—equipped with open front seat and cover.


No. 1015—equipped with open front seat less cover.



No. 1010 Case One-Piece Water Closet



Quiet,
Efficient
Performance



No. 1200

DE LUXE® WATER SAVER CLOSET COMBINATION

Equipment

Special bowl, 14" high, with jet and extended rear shelf — centrifugal action. Passes $2\frac{1}{8}$ " ball. 3" depth seal. Large water area.

Vitreous china tank bolted directly to the bowl and not attached to wall. High grade tank fittings of special design.

Chrome plated supply pipe and chrome plated stop. China bolt caps.

Sheet covered white seat and cover.

No. 1201 De Luxe equipped with open front seat and cover.

No. 1202 De Luxe equipped with open front seat less cover.


No. 1203 De Luxe equipped with closed front seat less cover.

No. 1207 De Luxe equipped with hard rubber seat, open front less cover.

NOTE — Practical and simple patented connection between tank and bowl — an important factor in time saving in installing this fixture.



Quiet.
Efficient
Performance



No. 1210

DE LUXE® WATER SAVER CLOSET COMBINATION With Elongated Bowl

Equipment

Special elongated bowl, 14" high, with jet and extended rear shelf. Centrifugal action, passes $2\frac{1}{8}$ " ball. 3" depth seal. Large water area.

Vitreous China Tank bolted directly to bowl and not attached to wall. High grade tank fittings of special design.

Chrome plated supply pipe and chrome plated stop. China bolt caps.

Sheet covered white seat and cover.


No. 1211 De Luxe with open front white seat and cover.

No. 1212 De Luxe with open front white seat less cover.

No. 1213 De Luxe with closed front white seat less cover.

No. 1217 De Luxe with hard rubber seat, open front less cover.

NOTE — Practical and simple patented connection between tank and bowl — an important factor in time saving in installing this fixture.



Case

No. 1325

WATER SAVER
CLOSET
COMBINATION

CAMEL® WATER SAVER CLOSET COMBINATION

No. 1325 Closet, 12" Roughing, furnished with four bolt holes in bowl.

No. 1325-10 Closet, 10" Roughing, furnished with two bolt holes in bowl.


Equipment

Special Reverse Trap Bowl, 14" high, with jet and extended rear shelf.

Vitreous China Tank, shelf type cover, bolted directly to bowl and not attached to wall. High grade tank fittings of special design.

Chrome plated supply pipe, china bolt caps and closet screws.


Practical and simple patented connection between tank and bowl — an important factor in time saving in installing this fixture.



PATENT 1869401
PATENT 1970789



Attractive
Efficient
Non-Overflow
Protection



No. 1250


Patent Applied For

THE CASSETTE ONE-PIECE WATER SAVER CLOSET

The fixture has a reverse trap bowl, stands $25\frac{3}{4}$ " overall height, tank is 18" wide and when roughed at 12" the fixture is 28" from wall to front of fixture. Can be furnished with or without supply pipe.

Equipment

Vitreous china tank and bowl in one-piece construction, fitted with high grade tank fittings of special design, two china bolt caps and closet screws.



No. 1350



ZECO® REVERSE TRAP CLOSET COMBINATION

Equipment

No. 1960 Reverse Trap Bowl.

No. 2212 China Tank (18") with shelf type cover, high grade tank trimmings. Chrome plated elbow and supply pipe.

No. 1355 Zeco Reverse Trap Closet Combination. Same specification except with No. 1970 elongated Reverse Trap Bowl.



No. 1380

BENNING® CLOSET COMBINATION



Equipment

Special Syphon Action Washdown Bowl, 14" high, with jet, and extended rear shelf.

Vitreous China Tank, bolted directly to bowl and not attached to wall. High grade Tank Fittings of special design.

Supply Pipe

Four (4) No. 2391-2392 China Bolt Caps.



No. 1400


ZECO® SYPHON ACTION WASHDOWN CLOSET COMBINATION

Equipment

No. 2020 Washdown bowl with jet.

No. 2212 China Tank (18") with shelf type cover, high grade tank fittings of special design.

NOTE — No. 2030-2040-2050 Bowl furnished when so ordered.



Case

No. 1600

SYPHON JET FLUSH VALVE CLOSET COMBINATION

Equipment

No. 1910 Trojan Elongated Syphon Jet Bowl, 1½" Top Spud.
Passes 2½" Ball.

No. 2391 China Bolt Caps; Closet Screws, Nuts and Washers.

Sloan Royal No. 110-FYV Chrome Plated Flush Valve with Vacuum
Breaker.

Black Hard Rubber Open Front Seat, Less Cover, with Check
Hinge.

No. 1625

Same as No. 1600, except equipped with No. 1930 Round Front
Bowl

For Flush Valves, see Pages 84 and 85.



Case

No. 1605

SYPHON JET FLUSH VALVE CLOSET COMBINATION WITH CLEAN OUT

Equipment

No. 1940 Trojan Elongated Syphon Jet Bowl, 11½" Top Spud.
Passes 2½" Ball.

Cleanout opening and brass plate, permitting access to trapway
for removal of obstructions without removing bowl from position.

No. 2391 China Bolt Caps; Closet Screws, Nuts and Washers.

Sloan Royal No. 110-FYV Chrome Plated Flush Valve with Vacuum
Breaker.

Black Hard Rubber Open Front Seat, Less Cover, with Check Hinge.

No. 1610

Same as No. 1605, except equipped with No. 1941 Round Front
Bowl

No. 1615

Same as No. 1605, except equipped with No. 1942 Juvenile Elon-
gated Bowl

For Flush Valves, see Pages 84 and 85.



Case

No. 1636

TROJAN JUNIOR JUVENILE SYPHON JET CLOSET


Equipment

No. 1936 Trojan Junior Juvenile Elongated Syphon Jet Bowl, 1½" Top Spud. Height 13".

No. 2391 China Bolt Caps; Closet Screws, Nuts and Washers.
Sloan Royal No. 110-YV Chrome Plated Flush Valve with Vacuum Breaker.

Black Hard Rubber Open Front Seat, less Cover, with concealed Check Hinge.

For Flush Valves, see Pages 84 and 85.





No. 1650

No. 1650 Reverse Trap
Flush Valve Combination.

Equipment


No. 1970 Elongated Reverse Trap Bowl.

Chrome plated Sloan Royal No. 120 Flush Valve.

Hard Rubber open front seat less cover with check hinge.

No. 1660 Reverse Trap

Flush Valve Combination with No. 1960 Round Front Reverse Trap Bowl.



No. 1675

No. 1675 Washdown
Flush Valve Combination.

Equipment

No. 2020 Syphon Action Washdown Bowl with jets.

Chrome plated Sloan Royal No. 120 Flush Valve.

Hard Rubber open front seat less cover with check hinge.




No. 1900

Trojan elongated Syphon Jet Bowl. 2" spud, (passes 2½" ball). For use with tank.



No. 1910

Trojan elongated Syphon Jet Bowl. 1½" spud, (passes 2½" ball). For use with Flush Valve.





No. 1920

Trojan Round Front Syphon Jet Bowl. 2" spud, (passes 2½" ball). For use with tank.




No. 1930

Trojan Round Front Syphon Jet Bowl. 1½" spud, (passes 2½" ball). For use with Flush Valve.



No. 1936

Trojan Junior Juvenile Elongated Syphon Jet Bowl, 1½" Top Spud. For use with Flush Valve. Height 13".



No. 1960
Zeco® Round Front Reverse Trap Bowl
Furnished with 2" or 1½" spud.



No. 1970
Zeco® Elongated Reverse Trap Bowl
Furnished with 2" or 1½" spud.

Case



No. 2020

Zeco® syphon action Wash-down Bowl with jet. 14" roughing.



No. 2030

Zeco® syphon action Wash-down Bowl with jet. 12" roughing.



No. 2040


Zeco® syphon action Wash-down Bowl with jet. Extended outlet. 10" roughing.



No. 2050

Zeco® syphon action Wash-down Bowl with jet. Center outlet. 17" roughing.

Furnished with 2 inch, 1½ inch or 1¼ inch spud.



No. 2100

WALJET® WALL HUNG SYPHON JET CLOSET

Equipment


No. 2100 Waljet Wall Hung Elongated Syphon Jet Bowl, 1½" Top Spud.

Sloan Royal No. 110-FYV Chrome Plated Flush Valve with Vacuum Breaker.

Black Hard Rubber Open Front Seat, less Cover, with concealed Check Hinge.

No. 2341 Closet Support.

NOTE: See pages 83, 84 and 85 for different style closet supports and flush valves.



Case

No. 2105

WALJET® WALL HUNG SYPHON JET CLOSET

Equipment


No. 2105 Waljet Wall Hung Elongated Syphon Jet Bowl, 1½" Rear Spud.

Sloan Royal No. 143-YV Concealed Flush Valve with Vacuum Breaker.

Black Hard Rubber Open Front Seat, less Cover, with concealed Check Hinge.

No. 241 Closet Support.

Note: See pages 83, 84 and 85 for different style closet supports and flush valves.



No. 2110

WALBLO® WALL HUNG BLOW OUT CLOSET

Equipment



No. 2110 Walblo Wall Hung Elongated Blow Out Bowl, 11½" Top Spud.

Sloan Royal No. 110-FYV Chrome Plated Flush Valve with Vacuum Breaker.

Black Hard Rubber Open Front Seat, less Cover, with concealed Check Hinge.

No. 2344 Closet Support.

Note: See pages 83, 84 and 85 for different style closet supports and flush valves.



No. 2115

WALBLO® WALL HUNG BLOW OUT CLOSET

Equipment

No. 2115 Walblo Wall Hung Elongated Blow Out Bowl, 1½" Rear Spud.


Sloan Royal No. 143-YV Concealed Flush Valve with Vacuum Breaker.

Black Hard Rubber Open Front Seat, less Cover, with concealed Check Hinge.

No. 2344 Closet Support.

Note: See pages 83, 84 and 85 for different style closet supports and flush valves.

**ZURN WALL CLOSET FITTINGS
FOR CASE WALL HUNG CLOSETS**




Zurn Z-1205 series fitting supporting Case Waljet
No. 2100 fixture



**No. Z-1205-SHR
Hub and Spigot
(Soil Pipe)**

Foot support furnished
only when specified.




In this installation, a Z-1206-1 Series Vertical Wall Closet Stack Fitting with single side inlet is installed in existing stack, providing for one Wall-Type fixture. A battery of two or more Wall-Type fixtures extending horizontally from the stack fitting may be installed

Zurn Engineered Wall Closet fitting Z-1205 S.H.R. as illustrated, is right hand horizontal, soil pipe, for syphon jet closets. This unit provides supporting carrier and trim for fixture and complete fitting for horizontal drainage, including vent connection. Each unit is individually packaged and properly marked for easy handling together with clear, simple instructions for easy installation. Recommended for battery installation in toilet rooms of public buildings and institutions. Series also available for blow out closets and back to back installations.

with Z 1205 Series Wall Closet Fittings, as illustrated. Zurn Wall Closet Fittings provide exclusive adjustment features for assuring perfect alignment of fixtures — off the floor, free of the wall. All necessary adjustments are simple; assemblies and installations are fast.

CLOSET SUPPORTS



No. 2341


No. 2341 Heavy Cast Iron Closet support with V type cantilever foot, ratchet type vertical adjustment, four fixture mounting bolts including bearing nuts and washers, Chrome plated finishing parts, asbestos gasket, 4" I.P.S. adjustable brass coupling outlet connection.

No. 2343 Same as 2341, except for lead pipe outlet connection.

Note: Regularly furnished with brass coupling and fixture mounting bolts to locate carrier behind 5" thick wall. Other coupling and stud lengths available as specified.

No. 2344 Heavy Cast Iron Closet support with V type cantilever foot, ratchet type vertical adjustment, three fixture mounting bolts including bearing nuts and washers, Chrome plated finishing parts, asbestos gasket, 4" I.P.S. adjustable brass coupling outlet connection.


No. 2346 Same as number 2344, except for lead pipe connection.



No. 2344

Note: Regularly furnished with brass coupling and fixture mounting bolts to locate carrier behind 5" thick wall. Other coupling and stud lengths available as specified.


CHROME PLATED FLUSH VALVES



Sloan Royal No. 110
(Diaphragm Type)

With white metal oscillating handle, 1" wheel handle angle stop, flush connection and coupling nut for 1 1/2" top spud, wall and spud flanges.

Furnished, **when so specified**, with inlet on left hand side; with screw driver stop; with seat bumper on valve; with Vacuum Breaker.



Sloan Crown No. 110
(Piston Type)

VACUUM BREAKERS



Sloan V-100-A

Designed to prevent back-syphonage in fixtures with small supplies and low rates of flow.


Can be installed with new or old Flush Valves of any manufacture. Any closet bowl can be made syphon-proof by the proper installation of a V-100-A above the spill line.



Sloan V-300-A


QUIET-FLUSH

To assure the quietest operation possible, specify Sloan Flush Valves with **Quiet-Flush** Equipment.




Sloan Royal No. 100

With white metal oscillating handle, 1" wheel handle straight stop, flush connection and coupling nut for 1½" top spud, wall and spud flanges.



Sloan Royal No. 120

Same specifications as No. 110, except with elbow flush connection and coupling for 1½" rear spud.



No. 140

Sloan Royal No. 140

Concealed Rough Brass Flush Valve, with 1" straight stop, elbow flush connection for 1½" exposed rear spud, chrome plated spud coupling, wall and spud flanges.

Sloan Royal No. 143

Same specifications as No. 140, except for 1½" concealed rear spud.


Note: Orders for Concealed Flush Valves must specify wall thickness.

**Sloan Royal No. 185
(For Urinal Stalls)**


With ¾" screw driver angle stop, flush connection and coupling for ¾" top spud, wall and spud flanges.



**Sloan Royal No. 180
(For Pedestal Urinals)**

Same specifications as No. 185, except with flush connection and coupling for 1¼" top spud.



No. 185





No. 2208

No. 2208 Vitreous China 20" Tank with shelf type cover.

Equipment


High grade fittings of special design.

Chrome plated elbow flush connection and chrome plated supply pipe.



No. 2210 Vitreous China Tank, same as above, except concealed supply.

No. 2212 Vitreous China 18" Tank with shelf type cover. High grade fittings of special design. Chrome plated elbow flush connection with cast brass coupling nuts. Chrome plated supply pipe.

No. 2214 Vitreous China Tank, same as above, except with concealed supply.



No. 2212



No. 2224

No. 2224 Vitreous China Urinal Tank.

Measurement

$16\frac{1}{2}'' \times 12\frac{1}{2}'' \times 8\frac{3}{4}''$.

Capacity

4 gallon.

No. 2226 Vitreous China Urinal Tank

Measurement

$19\frac{1}{2}'' \times 12\frac{1}{2}'' \times 9\frac{1}{2}''$.

Capacity

6 gallon.

(For automatic tank fittings, chain and pull fittings, and flush pipes, see page 94.)

URINALS
VITREOUS CHINA

URINALS

URINALS
VITREOUS CHINA

URINALS

No. 2300 CASCO Vitreous China Straight Front Urinal Stall, with integral flush spreader and spud.


No. 2300-A CASCO Vitreous China Straight Front Urinal Stall.

Equipment

Chrome plated Sloan Royal No. 185 Flush Valve. Strainer: Nos. 2350-51-52.

Measurements:


Height of urinal, 42"
Width, - - - - 18"
Depth from front of lip, - 16"



No. 2300-A CASCO®

Can also be furnished with Back Spud. Top Spud regularly furnished—if Back Spud required order must so state.

VITREOUS CHINA SEAM COVERS




STRAIGHT FRONT

No. 2303 3"

No. 2306 6"

Distance urinals can be set apart.

Min.	Max.
2"	3 1/2"
5 1/2"	6 1/2"



No. 2319-3 CASCO
Vitreous China
Straight Front Urinal
Stalls. Battery of (3)
No. 2300 Urinal
Stalls, with Chrome
plated Sloan Royal
No. 185 Flush
Valves.

No. 2319-2 Battery of 2.

No. 2319-4 Battery of 4.

No. 2319-5 Battery of 5.


No. 2319-3 CASCO®

No. 2320-2 CASCO
Vitreous China
Straight Front Urinal
Stalls. Battery of (2)
No. 2300 Urinal
Stalls, with No. 2224
Urinal Tank.

No. 2320-3 Battery of 3.

No. 2320-4 Battery of 4.

No. 2320-5 Battery of 5.




No. 2320-2 CASCO®

Can be furnished in batteries of any required number.

See page 93 for outlet strainers and page 94 for flush pipe assemblies.


Note: When required straight seam covers can be furnished between these urinals.

STRAINERS




No. 2350

Chrome Plated Universal
Strainer. Flat Top.




No. 2351

Chrome Plated Universal
Strainer (Beehive type).



No. 2352

Universal Strainer with
China Top.




Method of Connecting to
Lead Pipe, Soil Pipe
or Iron Pipe.

AUTOMATIC URINAL TANK FITTINGS

- No. 2361 $\frac{3}{4}$ " Valve for 1-2 Urinal Stalls.
 No. 2363 1" Valve for 3 Urinal Stalls.
 No. 2364 $1\frac{1}{4}$ " Valve for 4-5 Urinal Stalls.
 No. 2366 $1\frac{1}{2}$ " Valve for 6 Urinal Stalls.


No. 2370 Chain and Pull Fittings for High Tank.

URINAL FLUSH PIPES




No. 2381

One Part Flush Pipes.



No. 2382

Two Part Flush Pipes.





No. 2383

Three Part Flush Pipes.

No. 2384 Four Part Flush Pipes.

No. 2385 Five Part Flush Pipes.



No. 2325-A
CASCO®

Vitreous
China
Wall Hung
Washout
Urinal

**No. 2325 CASCO Urinal
Equipment**


With Extended Shields, Integral Flush Spreader, Strainer and
Trap with cleanout. Wall Hanger with bolts. $\frac{3}{4}$ " Top Spud,
2" Outlet Connection.

No. 2325-A CASCO Urinal

Same specifications as noted above except equipped with
chrome plated Sloan Royal No. 186 Flush Valve.

Measurements

Height.....30" Width.....18"
Depth from front of lip... ..11 $\frac{3}{4}$ "



Case

No. 2330
CASCO®

Vitreous China
Wall Hung Washout
Urinal



With No. 2224 Urinal Tank and No. 2381 Flush Pipe.

Case

No. 2340
Urinal Chair Carrier
with Wall Hangers,
chrome plated nuts
and washers.

Can be furnished with or without
bottom bearing plate.





No. 2335-A



**CASCO® VITREOUS CHINA SYPHON JET
PEDESTAL URINAL**

Equipment

No. 2335 Casco Syphon Jet Pedestal Urinal, 1½" Top Spud.

No. 2391 China Bolt Caps; Cloet Screws, Nuts and Washers

Sloan Royal No. 181-HUYV Chrome Plated Flush Valve with
Vacuum Breaker.



No. 2336

CASCO® VITREOUS CHINA SYPHON JET PEDESTAL URINAL

Equipment


No. 2335 Casco Syphon Jet Pedestal Urinal, 1 $\frac{1}{4}$ " Top Spud.

No. 2391 China Bolt Caps; Closet Screws, Nuts and Washers.

No. 2224 Vitreous China Urinal Tank.

No. 2364 Automatic Urinal Tank Fittings, 1 $\frac{1}{4}$ " Valve.

No. 2381 Chrome Plated One-Part 1 $\frac{1}{4}$ " O.D. Flush Pipe.



No. 2338-A

**CASCO® VITREOUS CHINA WALL HUNG
WASHOUT URINAL**


Equipment

No. 2338 Casco Wall Hung Washout Urinal with extended lip, flushing rim, integral strainer, $\frac{3}{4}$ " inlet spud, $1\frac{1}{2}$ " outlet spud, $1\frac{1}{2}$ " O. D. tailpiece.

Sloan Royal No. 186 Chrome Plated Flush Valve.

Measurements

Height (urinal only) . . . 19" Width . . . $12\frac{1}{2}$ "
Depth from Wall to Front of Lip . . . $13\frac{5}{8}$ "



**WATER CLOSET
ACCESSORIES**


**WATER CLOSET
ACCESSORIES**

**WATER CLOSET
ACCESSORIES**

**WATER CLOSET
ACCESSORIES**

FITTINGS and PARTS for MODEL A Case One-Piece WATER CLOSET

When ordering give number of part. (For description of parts see other side.)



PARTS FOR MODEL A Case One-Piece WATER CLOSET

BALLCOCK (No. 41)

Part No.	1	Riser Tube
" "	2	Seat Washer
" "	3	Seat Washer Cap
" "	4	Elbow
" "	5	Rim Valve Cap
" "	6	Seat
" "	7	Connecting Wire
" "	8	Rim Valve Lever
" "	9	Screw
" "	10	Rim Valve
" "	11	Lock Screw
" "	12	Regulator
" "	13	Ballcock Body
" "	14	Shank
" "	15	Vent Body
" "	16A	Cross Lever
" "	16B	Float Rod Lever
" "	16C	Fulcrum
" "	16D	Link Screw
" "	17	Vent Cap
" "	18	Shank Washer
" "	19	Lock Nut
" "	20	Vent Ball Seat Washer
" "	21	Rim Connection Nut
" "	22	Rim Connection Sleeve
" "	23	Rim Connection Washer
" "	24	Hush Tube
" "	25	Plunger
" "	26	Thumb Screw
" "	27	Float Rod
" "	28	Vent Cap Washer
" "	29	Vent Ball
" "	30	Coupling Nut
" "	31	Coupling Nut Washer
" "	32	Plunger Ring Washer
" "	33	Float

COVER LOCK

Part No.	1	Bushing
" "	2	Rubber Washer
" "	3	Screws
" "	4	Pins

REGULATOR STOP

Part No.	1	Handle, Stem & Bonnet Nut
" "	2	Rubber Packer
" "	3	Brass Washer
" "	4	Sleeve
" "	5	Valve Body
" "	6	Upper Supply
" "	7	Plug
" "	8	Lower Supply

LEVER


Part No.	1	Lift Arm
" "	2	Handle w/stem
" "	3	Screw
" "	4	Spacer
" "	5	Bushing Nut
" "	6	Lead Washer
" "	7	Bushing

FLUSH VALVE (No. 41)

Part No.	1	Cotter Key
" "	2	Bolt
" "	3	Clamp
" "	4	Rubber Seat Washer
" "	5	Rubber Ball
" "	6A	Valve Seat
" "	6B	Guide
" "	7	Lift and Swivel Wires (Assembled)
" "	8	Guide Arm Screw

FITTINGS and PARTS for NO. 1000 and No. 1100
Case One-Piece WATER CLOSET

When ordering give number of part. (For description of parts see other side.)



PARTS FOR NO. 1000 Case One-Piece WATER CLOSET

BALLCOCK (No. 50)

Part No.

- 1 Riser Tube
- 2 Seat Washer
- 3 Seat Washer Cap
- 4 Regulator Body
- 5 Rim Valve Cap
- 6 Seat
- 6A Seat Gasket
- 7 Connecting Wire
- 8 Rim Valve Lever
- 9 Rim Valve Screw
- 10 Rim Valve
- 11 Lock Screw
- 12 Regulator Stop
- 13 Ballcock Body
- 14 Riser Pipe Shank
- 15 Vent Body

Lever Assembly

- 16A Cross Lever
- 16B Float Rod Lever
- 16C Fulcrum
- 16D Rivets

- 17 Vent Cap
- 18 Shank Washer
- 19 Shank Lock Nut
- 20 Rubber Vent Ball Seat Washer
- 21 Rim Connection Nut
- 22 Rim Connection Friction Washer
- 23 Rubber Rim Connection Washer
- 24 Hush Tube
- 25 Plunger (2 pieces)
- 26 Thumb Screws (2)
- 27 Float Rod
- 28 Vent Cap Washer
- 29 Vent Ball
- 30 Shank Coupling Nut

BALLCOCK (No. 50) Cont.

Part No.

- 31 Shank Coupling Nut Washer
- 32 Plunger Cup Washer
- 33 Float (Not Shown)
- 34 Vent Cap Screws (2)
- 35 Nipple
- 36 Rim Connection Ring
- 37 Union Gasket
- 38 Union Nut
- 39 Union Nut

Stop Assembly

- 40 Stop Spindle
- 41 Bonnet Nut
- 42 Brass Packing Washer
- 43 Rubber Skirt (Upper)
- 43A Rubber Skirt (Lower)
- 44 Brass Skirt Spacer
- 45 Stop Body

LEVER (No. 50)

Part No.

- 1 Lever Assembly
- 2 Lock Nut
- 3 Lift Arm
- 4 Lift Arm Screw

FLUSH VALVE (No. 50)

Part No.


- 1 Cotter Key
- 2 Bolt
- 3 Clamp
- 4 Rubber Seat Washer
- 5 Rubber Flush Ball
- 6 Valve Seat
- 7 Guide Arm
- 8 Guide Arm Screw
- 9 Lift and Swivel Wire Assembly

BALLCOCK AND FLUSH VALVE

FOR NO. 1200, 1210 AND 1325 CLOSE COUPLED CLOSETS

WHEN ORDERING GIVE NUMBER OF PART

(For Description of Parts See Other Side)



No. 10 Ballcock

No. 2 Flush Valve

No. 10 BALLCOCK PARTS

Part No.

- 1 Coupling Nut Washer
- 2 Coupling Nut
- 3 Lock Nut
- 4 Shank Washer
- 5 Shank
- 6 Seat Washer Cap
- 7 Seat
- 8 Seat Washer
- 9 Supply Tube
- 10 Plunger Packing
- 11 Plunger

Part No.

- 12 Ballcock Body
- 13 Lever Assembly
- 14 Thumb Screws
- 15 Regulator Body
- 16 Regulator Adjuster
- 17 Lock Screw
- 18 Hush Tube
- 19 Float Rod
- 20 Float
- 21 Refill Tube

No. 2 FLUSH VALVE PARTS

Part No.


- 1 Swivel Wire
- 2 Lift Wire
- 3 Rubber Ball
- 4 Seat
- 5 Guide
- 6 Guide Screw
- 7 Rubber Gasket

Part No.

- 8 Yoke or Locknut
- 9 Rubber Gasket
- 10 Rubber Washer
- 11 Brass Washer
- 12 Stud Bolt
- 12-A Stud Bolt Nut
- 13 Overflow Tube

**BALLCOCK AND FLUSH VALVE
FOR NO. 2208-2212 TANKS**

WHEN ORDERING GIVE NUMBER OF PART
(For Description of Parts See Other Side)



No. 11 BALLCOCK PARTS

Part No.

- 1 Coupling Nut Washer
- 2 Coupling Nut
- 3 Lock Nut
- 4 Shank Washer
- 5 Shank
- 6 Seat Washer Cap
- 7 Seat
- 8 Seat Washer
- 9 Supply Tube
- 10 Plunger Packing

Part No.

- 11 Plunger
- 12 Ballcock Body
- 13 Lever Assembly
- 14 Thumb Screw
- 15 Elbow
- 16 Hush Tube
- 17 Refill Tube
- 18 Float Rod
- 19 Float

No. 3 FLUSH VALVE PARTS

Part No.


- 1 Swivel Wire
- 2 Lift Wire
- 3 Rubber Ball
- 4 Seat
- 5 Gasket

Part No.

- 6 Locknut
- 7 Coupling Nut
- 8 Overflow Tube
- 9 Guide
- 10 Guide Screw

No. 9 ANTI-SIPHON (Vacuum Breaker) BALLCOCK
WHEN ORDERING GIVE NUMBER OF PART

(For description of parts see Page 112)



PATENT 2252078
PATENT 2290438

PARTS FOR No. 9 ANTI-SIPHON BALLCOCK

Part No.	1—Coupling Nut Washer	Part No.	14—Thumb Screw
" "	2—Coupling Nut	" "	15—Vent Body
" "	3—Lock Nut	" "	16—Silencer Adjuster
" "	4—Shank Washer	" "	17—Lock Screw
" "	5—Shank	" "	18—Vent Ball
" "	6—Seat Washer Cap	" "	19—Float Rod
" "	7—Seat	" "	20—Float
" "	8—Seat Washer	" "	21—Vent Cap
" "	9—Supply Tube	" "	22—Vent Ball Seat Washer
" "	10—Plunger Packing	" "	23—Vent Cap Washer
" "	11—Plunger	" "	24—Refill Tube
" "	12—Ballcock Body	" "	25—Hush Tube
" "	13—Lever Assembly		

NOTE:

Specify No. 9 Ballcock for Nos. 1200, 1210, 1325 Closets
Specify No. 9-A Ballcock for Nos. 2208 and 2212 Closet Tanks

**ROUGHING IN
MEASUREMENTS**

**ROUGHING IN
MEASUREMENTS**


**ROUGHING IN
MEASUREMENTS**

**ROUGHING IN
MEASUREMENTS**

No. 400, 410

AQUA-CHROME® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	B	F	H
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{3}{8}$ "	10"	16 $\frac{1}{4}$ "	16"	16 $\frac{7}{8}$ "
24" x 20"	20"	24 $\frac{1}{4}$ "	12"	18 $\frac{1}{8}$ "	18 $\frac{1}{4}$ "	18 $\frac{1}{2}$ "
27" x 22"	22"	27 $\frac{1}{8}$ "	12"	20 $\frac{7}{8}$ "	20 $\frac{3}{4}$ "	20 $\frac{7}{8}$ "

Size 20" x 18" square corner design.

Sizes 24" x 20" and 27" x 22" angle corner design.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements are subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 420, 430

AQUA-CHROME® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	B	F	H
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{3}{8}$ "	16 $\frac{1}{4}$ "	16"	16 $\frac{7}{8}$ "
24" x 20"	20"	24 $\frac{1}{4}$ "	18 $\frac{1}{8}$ "	18 $\frac{1}{4}$ "	18 $\frac{1}{2}$ "
27" x 22"	22"	27 $\frac{1}{8}$ "	20 $\frac{7}{8}$ "	20 $\frac{3}{4}$ "	20 $\frac{7}{8}$ "

Size 20" x 18" square corner design.

Sizes 24" x 20" and 27" x 22" angle corner design.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 500, 510

WESTBROOK® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	B
24" x 20"	20"	24 $\frac{1}{4}$ "	12"	18 $\frac{1}{8}$ "
27" x 22"	22"	27 $\frac{1}{8}$ "	12"	20 $\frac{7}{8}$ "


Furnished only in angle corner design.

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 520, 530 WESTBROOK® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	B
24" x 20"	20"	24 1/4"	18 1/8"
27" x 22"	22"	27 1/8"	20 7/8"


Furnished only in angle corner design.

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 600, 610 WYNGATE® LAVATORY

ROUGHING IN MEASUREMENTS



Size 20" x 18" square corner design.

Sizes 24" x 20" and 27" x 22" angle corner design.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 620, 630

WYNGATE® LAVATORY

ROUGHING IN MEASUREMENTS



Size 20" x 18" square corner design.
 Sizes 24" x 20" and 27" x 22" angle corner design.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 700, 710

WINDSOR® LAVATORY

ROUGHING IN MEASUREMENTS



NOMINAL SIZE	W	L	C	B
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{3}{8}$ "	10"	16 $\frac{1}{4}$ "
24" x 20"	20"	24 $\frac{1}{4}$ "	12"	18 $\frac{1}{8}$ "
27" x 22"	22"	27 $\frac{1}{8}$ "	12"	20 $\frac{7}{8}$ "

Size 20" x 18" square corner design.

Sizes 24" x 20" and 27" x 22" angle corner design.

W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 720, 730

WINDSOR® LAVATORY

ROUGHING IN MEASUREMENTS

SUPPLY PIPE ROUGHING IN MEASUREMENTS ARE TO BE USED WHEN INSTALLING OUR SPECIAL ANNEALED SUPPLIES WITH STOPS WHICH PERMIT CONCEALING OF SUPPLY PIPES.



Nominal Size	W	L	B
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{3}{8}$ "	16 $\frac{1}{4}$ "
24" x 20"	20"	24 $\frac{1}{4}$ "	18 $\frac{1}{8}$ "
27" x 22"	22"	27 $\frac{1}{8}$ "	20 $\frac{7}{8}$ "

Size 20" x 18" square corner design.


Sizes 24" x 20" and 27" x 22" angle corner design.

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 750

WESTON® LAVATORY




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 755, 756

WESTON® LAVATORY




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

WINDELL® LAVATORY

**SUPPLY PIPE ROUGH-
ING IN MEASURE-
MENTS ARE TO BE
USED WHEN INSTALL-
ING OUR SPECIAL
ANNEALED SUPPLIES
WITH STOPS WHICH
PERMIT CONCEALING
OF SUPPLY PIPES.**



Nominal Size	W	L	B	D	F	H
22 x 18	18 $\frac{3}{8}$ "	22"	18 $\frac{3}{8}$ "	8 $\frac{1}{8}$ "	18 $\frac{3}{8}$ "	17"
24 x 20	20 $\frac{1}{2}$ "	24"	19"	9 $\frac{1}{2}$ "	19"	18 $\frac{3}{4}$ "


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 790, 791

WINDELL® LAVATORY

ROUGHING IN MEASUREMENTS



NOTE:

When furnished with No. 165 Towel Bars, the following measurements apply:

Top edge of lavatory to center of Towel Bar — $2\frac{3}{8}"$


Overall length of lavatory — $28\frac{1}{4}"$

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

WINDELL® LAVATORY

ROUGHING IN MEASUREMENTS



**SUPPLY PIPE ROUGH-
ING IN MEASURE-
MENTS ARE TO BE
USED WHEN INSTALL-
ING OUR ANNEALED
SUPPLIES WITH
STOPS, WHICH PER-
MIT CONCEALING OF
SUPPLY PIPES.**

NOTE:


When furnished with No. 165 Towel Bars, the following measurements apply:
Top edge of lavatory to center of Towel Bar — 25½"
Overall length of lavatory — 28¼"

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 800, 805 WINSTON® LAVATORY

ROUGHING IN MEASUREMENTS



NOMINAL SIZE	W	L	B	D	C	F	H
22 x 18	18 $\frac{1}{2}$ "	22 $\frac{1}{2}$ "	18 $\frac{1}{2}$ "	8 $\frac{5}{8}$ "	5 $\frac{1}{8}$ "	18 $\frac{1}{2}$ "	16 $\frac{7}{8}$ "
24 x 20	20 $\frac{7}{8}$ "	24 $\frac{1}{2}$ "	19 $\frac{3}{4}$ "	9 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	19 $\frac{3}{4}$ "	18 $\frac{1}{2}$ "
27 x 22	22 $\frac{3}{8}$ "	27 $\frac{1}{4}$ "	22 $\frac{1}{8}$ "	10 $\frac{3}{8}$ "	6 $\frac{3}{4}$ "	21 $\frac{7}{8}$ "	20 $\frac{3}{8}$ "


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.


No. 820, 825

WARWICK® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	B	D	C
22 x 18	18 1/2"	22 1/2"	18 1/2"	8 5/8"	5 1/8"
24 x 20	20 7/8"	24 1/2"	19 3/4"	9 1/2"	6 3/16"
27 x 22	22 3/8"	27 1/4"	22 1/8"	10 3/8"	6 3/4"




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 840, 841, 842, 848 WINSTED® LAVATORY

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS

SUPPLY PIPE ROUGHING IN MEASUREMENTS ARE TO BE USED WHEN INSTALLING OUR SPECIAL UNNEALED SUPPLIES WITH STOPS WHICH PERMIT CONCEALING SUPPLY PIPES.

SUPPLIES THROUGH WALL ROUGHED AT 10" CENTERS

FINISHED WALL LINE

FINISHED FLOOR LINE

C SUPPLY
D
H
E 25"
F
G WASTE
I 17 1/2"

B
10"
8"
W
L
32 3/8"
3 3/4"

NOMINAL SIZE	W	L	B	D	C	F	H
22"x18"	18½"	22½"	18½"	8⅝"	4 1/16"	18½"	16⅞"
24"x20"	20⅞"	24½"	19¾"	9½"	4 1/16"	19¾"	18½"
27"x22"	22⅜"	27¼"	22⅞"	10⅜"	4 13/16"	21⅞"	20⅜"

W. A. CASE & SON MFG. CO.


PAGE 130

No. 860, 865

WILLARD® LAVATORY


ROUGHING IN MEASUREMENTS

SUPPLY PIPE ROUGHING IN MEASUREMENTS ARE TO BE USED WHEN INSTALLING OUR SPECIAL ANNEALED SUPPLIES WITH STOPS, WHICH PERMIT CONCEALING OF SUPPLY PIPES.



Nominal Size	W	L	B	D	C
22" x 18"	18 1/2"	22 1/2"	18 1/2"	8 5/8"	4 1/16"
24" x 20"	20 7/8"	24 1/2"	19 3/4"	9 1/2"	4 7/16"
27" x 22"	22 3/8"	27 1/4"	22 1/8"	10 3/8"	4 13/16"

CONCEALED HANGER DETAIL



W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 870, 871

WILLARD® LAVATORY

ROUGHING IN MEASUREMENTS

SUPPLY PIPE ROUGHING IN MEASUREMENTS ARE TO BE USED WHEN INSTALLING OUR SPECIAL ANNEALED SUPPLIES WITH STOPS WHICH PERMIT CONCEALING OF SUPPLY PIPES.




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 900

AVON® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	M	D	B	H
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{1}{4}$ "	4"	3 $\frac{1}{4}$ "	7 $\frac{1}{2}$ "	6"	33 $\frac{3}{8}$ "


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 912, 915

AVON® LAVATORY

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	D	B	H
20" x 18"	18 $\frac{1}{4}$ "	20 $\frac{1}{4}$ "	3 $\frac{7}{8}$ "	7 $\frac{1}{2}$ "	6"	33 $\frac{3}{8}$ "


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 920, 921

STEWART LAVATORY

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements are subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 922

STEWART® LAVATORY

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

Technical drawing of a pedestal sink showing front and side elevations with dimensions.

Front Elevation (Right):

- Overall width: W
- Top rim depth: $2\frac{1}{2}"$
- Basin width: $4"$
- Overall length: L
- Basin width at faucet: $9"$
- Distance from wall to faucet center: $6\frac{1}{2}"$
- Distance from wall to basin front: $31"$
- Distance from floor to basin top: $29\frac{1}{4}"$
- Distance from floor to waste outlet: $17\frac{1}{2}"$
- Waste outlet symbol: $\oslash$ Waste

Side Elevation (Left):

- Overall height: $31"$
- Basin depth: $3\frac{1}{4}"$
- Distance from wall to basin front: $6\frac{1}{2}"$

Labels:

- Finished Wall
- Finished Floor

W. A. CASE & SON MFG. CO.


FEBRUARY 15, 1951—Superseding October 5, 1949.

No. 925, 930, 935

COSMETTE® LAVATORY

(PATENT 115623)

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	D	T
20" x 14 $\frac{1}{2}$ "	14 $\frac{3}{4}$ "	20 $\frac{1}{2}$ "	2 $\frac{9}{16}$ "	5 $\frac{1}{8}$ "	3 $\frac{1}{2}$ "
24" x 17 $\frac{1}{2}$ "	17 $\frac{3}{4}$ "	24 $\frac{1}{4}$ "	3 $\frac{9}{16}$ "	6 $\frac{3}{8}$ "	3 $\frac{5}{8}$ "

W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 940, 941, 945

COSMETTE® LAVATORY

(PATENT 115623)

ROUGHING IN MEASUREMENTS



Nominal Size	W	L	C	D	T	F	H
20" x 14½"	14¾"	20½"	29/16"	5⅛"	3½"	11¼"	16½"
24" x 17½"	17¾"	24¼"	39/16"	6⅜"	3⅝"	14"	19⅝"


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 950, 954

WHITNEY LAVATORY

ROUGHING IN MEASUREMENTS



(see other side)

A Measurement

No. 950 Whitney Lavatory	8" Centers
No. 954 Whitney Lavatory	4" Centers

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 950, 954

WHITNEY LAVATORY

(see other side)

ROUGHING IN MEASUREMENTS

Cross Section Whitney Lavatory, Hudee Sink Rim and Cabinet






Illustration of Bottom View of
WHITNEY LAVATORY
Showing Rim and Lug Assembly



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus
one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS




No. 954-C Whitney Lavatory 4" Centers

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 960

WELSFORD LAVATORY

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 961

WELSFORD LAVATORY


ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS




Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 970

WESLEY LAVATORY

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2400

ABERDEEN FLAT RIM SINK

ROUGHING IN MEASUREMENTS




MEASUREMENTS IN INCHES									
Nominal Size	A	B	C	D	E	F	G	H	J
20 x 18	17 $\frac{3}{4}$	19 $\frac{3}{4}$	15 $\frac{3}{4}$	14 $\frac{3}{4}$	7/16	9/16	3 $\frac{1}{2}$	7	8
24 x 18	18 $\frac{1}{4}$	24 $\frac{1}{4}$	22	16	7/16	9/16	3 $\frac{1}{2}$	7	8
30 x 18	18 $\frac{1}{4}$	30 $\frac{1}{4}$	27 $\frac{3}{4}$	19 $\frac{1}{2}$	7/16	9/16	3 $\frac{1}{2}$	7 $\frac{1}{2}$	8 $\frac{1}{2}$

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements are subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2410

ABERDEEN TWO-COMPARTMENT
FLAT RIM SINK




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements are subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2425


ADAIR VITREOUS CHINA FLAT RIM LAUNDRY TRAY

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements are subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.




No. 1000, 1100

Case One-Piece WATER CLOSET

(PATENTED)

ROUGHING IN MEASUREMENTS



NOTE: 12" from wall to center of outlet is minimum measurement. We recommend 14" roughing which gives more space behind fixture for cleaning purposes. This fixture, however, can be roughed at any measurement 12" or greater from wall to center of outlet. In roughing further than 12" from the wall consideration should be given measurement from wall to center of supply pipe.

		"A" Measurement
No. 1000	Round Front Pattern	27"
No. 1100	Elongated Pattern	29"

W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1200, 1210

DE LUXE® WATER SAVER

CLOSET COMBINATION

ROUGHING IN MEASUREMENTS



Measurements shown apply to fixture roughing in at 12 inches from wall to center of outlet, which roughing we recommend as it allows for plenty of room for cleaning behind the tank.

The De Luxe Water Saver Closet Combination permits of roughing in at any measurement from wall to center of outlet of not less than 11 inches. This makes this fixture particularly adapted for replacement work.

When roughing in at any measurement other than 12 inches, as shown above, make due allowance in other measurements.

	*A	*B
No. 1200	$27\frac{5}{8}"$	$16\frac{1}{2}"$
No. 1210	$29\frac{5}{8}"$	$18\frac{1}{2}"$


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1250

CASSETTE ONE-PIECE WATER SAVER CLOSET

ROUGHING IN MEASUREMENTS




Measurements shown apply to fixture roughing in at 12 inches from wall to center of outlet, which roughing we recommend as it allows for plenty of room for cleaning behind the fixture.

The Casette One-piece Water Saver Closet permits of roughing in at any measurement, 12 inches or greater, from wall to center of outlet. When roughing farther than 12 inches from the wall consideration should be given measurement from wall to center of supply pipe.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.



No. 1325-10
CAMEL® WATER SAVER
CLOSET COMBINATION
 Trade Mark

ROUGHING IN MEASUREMENTS




Measurements shown apply to fixture roughing in at 10 inches from wall to center of outlet, which roughing we recommend as it allows for plenty of room for cleaning behind the tank.

The No. 1325-10 Camel Water Saver Closet Combination permits roughing in at any measurement from wall to center of outlet of not less than 9 1/2 inches. This makes this fixture particularly adapted for replacement work.

When roughing in at any measurement other than 10 inches, as shown above, make due allowance in other measurements.

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus
 one-quarter inch. Measurements shown are for this job only.




No. 1325

CAMEL® WATER SAVER

CLOSET COMBINATION

TRADE MARK

ROUGHING IN MEASUREMENTS



Measurements shown apply to fixture roughing in at 12 inches from wall to center of outlet, which roughing we recommend as it allows for plenty of room for cleaning behind the tank.

The No. 1325 Camel Water Saver Closet Combination permits roughing in at any measurement from wall to center of outlet of not less than 11 inches. This makes this fixture particularly adapted for replacement work.

When roughing in at any measurement other than 12 inches, as shown above, make due allowance in other measurements.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1380

BENNING® WATER CLOSET

ROUGHING IN MEASUREMENTS



Measurements shown apply to fixture roughing in at 12 inches from wall to center of outlet, which roughing we recommend as it allows for plenty of room for cleaning behind the tank.


The No. 1380 Washdown Closet Combination permits roughing in at any measurement from wall to center of outlet of not less than 11 inches. This makes this fixture particularly adapted for replacement work.

When roughing in at any measurement other than 12 inches, as shown above, make due allowance in other measurements.

W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS



Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS




PAGE 148

No. 1600, *No. 1625

SYPHON JET FLUSH VALVE COMBINATION

ROUGHING IN MEASUREMENTS



*No. 1625 (Round Bowl)


*A Measurement 13"

*B " 16 1/2"

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS




"B" " 18 1/2"

PAGE 150

No. 1636

JUVENILE SYPHON JET FLUSH VALVE COMBINATION

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1675

WASH DOWN FLUSH VALVE COMBINATION

WITH No. 2020 W. D. BOWL

ROUGHING IN MEASUREMENTS



If No. 2030 W. D. Bowl is used the minimum measurement from wall to center of outlet is 9".

If No. 2040 W. D. Bowl is used the minimum measurement from wall to center of outlet is 7".


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1900, 1910

TROJAN SYPHON JET BOWL

ROUGHING IN MEASUREMENTS



No. 1900 - 2" Spud — For use with Tank.

No. 1910 - 1 1/2" Spud — For use with Flush Valve.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1920, 1930

TROJAN SYPHON JET BOWL

ROUGHING IN MEASUREMENTS



No. 1920 - 2" Spud — For use with Tank.


No. 1930 - 1½" Spud — For use with Flush Valve.

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1936
TROJAN JUNIOR
JUVENILE ELONGATED SYPHON JET BOWL
1½" Top Spud for Flush Valve

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus
one-quarter inch. Measurements shown are for this job only.

No. 1960

ZECO® REVERSE TRAP CLOSET BOWL

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 1970
ZECO® REVERSE TRAP CLOSET BOWL

ROUGHING IN MEASUREMENTS





W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to $\pm$ variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ZECO® WASH DOWN BOWLS


ROUGHING IN MEASUREMENTS




No. 2020 — 14 INCH ROUGHING



No. 2030 — 12 INCH ROUGHING



No. 2040 — 10 INCH ROUGHING
EXTENDED REAR OUTLET



No. 2050 — 17 1/4 INCH ROUGHING
CENTER OUTLET

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.


1½" Top Spud for Flush Valve

[illegible]

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2105
WALJET®
WALL HUNG SYPHON JET BOWL
1½" Rear Spud for Flush Valve


ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS



Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

ROUGHING IN MEASUREMENTS




Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2208

ZECO® 20" CHINA CLOSET TANK

ROUGHING IN MEASUREMENTS



Specify No. 2210 if concealed Supply required.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2212

ZECO® 18" CHINA CLOSET TANK

ROUGHING IN MEASUREMENTS



Specify No. 2214 if concealed Supply required.


W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one quarter inch. Measurements shown are for this job only.

No. 2224, 2226

CHINA URINAL TANK

ROUGHING IN MEASUREMENTS



Tank	Capacity	A	B	C
#2224	4 Gal.	$16\frac{1}{2}"$	$8\frac{3}{4}"$	6"
#2226	6 Gal.	$19\frac{1}{2}"$	$9\frac{1}{2}"$	$7\frac{1}{2}"$

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.


No. 2300

CASCO® 18" CHINA URINAL STALL

(Straight Front)

REAR SPUD

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of one-half inch.
Measurements shown are for this job only.


No. 2300

CASCO® 18" CHINA URINAL STALL

(Straight Front)

TOP SPUD

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of one-half inch.
Measurements shown are for this job only.

No. 2325

CASCO[®] 18" CHINA URINAL STALL

(Wall Hung)

ROUGHING IN MEASUREMENTS




W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2335
CASCO® CHINA SYPHON JET
PEDESTAL URINAL

ROUGHING IN MEASUREMENTS



W. A. CASE & SON MFG. CO.


Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.

No. 2338

CASCO[®] CHINA URINAL

(Wall Hung)


ROUGHING IN MEASUREMENTS



Width of Urinal $12\frac{1}{2}"$

W. A. CASE & SON MFG. CO.

Vitreous China Ware Measurements subject to a variation of plus or minus one-quarter inch. Measurements shown are for this job only.





IN **Case** VITREOUS CHINA
PLUMBING FIXTURES

Choose from these Distinctive



No. 10 Ming Green



No. 11 Corallin



No. 12 Clair de Lune Blue



No. 13 Ivorie de Medici



No. 14 Tang Red



No. 15 Persian Brown



No. 90 Verdant Green




No. 50 Pastel Green



No. 20 Spruce Green



No. 21 Peachblow
No. 61 Bermuda Coral



No. 22 Cerulean Blue



No. 23 Tuscan




No. 52 Twilight Blue
No. 92 Azure Blue



No. 62 Azure Blue



No. 60 Fern Green



No. 70 Black



Colors for Your Home




No. 30 Sea Green



No. 51 Coral Blush



No. 32 Sky Blue



No. 33 Ivory



No. 95 Desert Tan



No. 35 Sandstone




No. 53 Colonial Yellow



No. 93 Sunlit Ivory



No. 40 Pale Jade
No. 80 Green



No. 41 Shell Pink
No. 81 Pink



No. 42 Sky Blue
No. 82 Blue




No. 43 India Ivory
No. 63 Oriental Ivory



No. 44 Persian Red



No. 45 Sun Tan
No. 85 Tan



No. 46 Citrus Yellow



No. 47 French Gray



When you plan to build or remodel, consult your Plumbing Contractor. He can suggest attractive, economical Case installations for your bathroom facilities. He can also offer ideas for a needed extra bath, shower or powder room. Modern, smart Case appointments in attractive colors enhance the value of a home, increase its enjoyment.

W. A. CASE & SON MFG. CO.

33 MAIN STREET, BUFFALO 3, N. Y.

POTTERIES—ROBINSON, ILL.

